

INDEX MAPS.

T.7N R.4W 2<sup>nd</sup> Mer.

	428	428	428	427	427	427	
430	6	449 5	446 4	441 3	438 2	434 1	426
	<del>450</del>	<del>449</del>	<del>445</del>	<del>440</del>	<del>437</del>	<del>434</del>	
430	7	448 8	444 9	440 10	437 11	433 12	426
	<del>450</del>	<del>448</del>	<del>444</del>	<del>440</del>	<del>437</del>	<del>433</del>	
430	18	448 17	444 16	440 15	437 14	433 13	426
	<del>450</del>	<del>447</del>	<del>443</del>	<del>439</del>	<del>436</del>	<del>432</del>	
429	19	447 20	443 21	439 22	436 23	432 24	425
	<del>451</del>	<del>446</del>	<del>442</del>	<del>439</del>	<del>435</del>	<del>432</del>	
429	30	446 29	442 28	438 27	435 26	431 25	425
	<del>451</del>	<del>445</del>	<del>442</del>	<del>438</del>	<del>435</del>	<del>431</del>	
429	31	445 32	441 33	438 34	435 35	431 36	425
	<del>424</del>	<del>424</del>	<del>424</del>	<del>423</del>	<del>423</del>	<del>423</del>	

T.8N R.4W 2<sup>nd</sup> Mer.

	458	458	458	457	457	457	
460	6	5	4	468 3	471 2	471 1	456
				<del>469</del>	<del>470</del>	<del>470</del>	
460	7	8	9	468 10	469 11	470 12	456
				<del>467</del>	<del>468</del>	<del>466</del>	
460	18	17	5.16	467 15	467 14	466 13	456
				<del>464</del>	<del>465</del>	<del>465</del>	
459	19	20	21	464 22	464 23	465 24	455
				<del>463</del>	<del>462</del>	<del>473</del>	
459	30	29	28	463 27	461 26	472 25	455
		<del>474</del>	<del>474</del>	<del>462</del>	<del>472</del>	<del>461</del>	
459	31	474 32	473 33	462 34	471 35	461 36	455
	<del>454</del>	<del>454</del>	<del>453</del>	<del>453</del>	<del>453</del>	<del>453</del>	

The figures on the lines refer to the page.

Township No 7 North of Range No 4 West 2nd Mer. Inda.

Ch. lks.

South Boundary

West	On the South Boundary of sec. 36. T. N. 7. R. 4 W.
26.00	To a Brook 3 links wide, Course S
40.00	Set a 1/4 sec. post from which a
	Wick 12 in. dia. bears S 10 W. 15 links due by 1 a,
	Beck 18 " " " N 5 W. 39 " "
60.00	To a Brook 3 links wide, Course N.
71.00	" " do. 3 " " " "
80.00	Set a post for the cor. of sec. 35 & 36 from which a
	Sugar. 9 in. dia. bears S 56 E. 10 links due by 1 a,
	do. 10 " " " N 45 W. 37 " "
	Willy Oak land

West	On the South Boundary of sec. 35 T. N. 7. R. 4 W.
30.00	To a Brook 3 links wide, Course N.
40.00	Set a post for the cor. of 74 sec from which a
	Beck 15 in. dia. bears S 12 W. 17 links due by 1 a,
	W. Oak 15 " " " N 11 W. 21 " "
43.00	To a Brook 75 links wide, Course S W
59.00	" " do. 75 " " " N. W.
77.00	" " do. 75 " " " S W.
80.00	Set a post for the cor. of sec. 34 & 35 from which a
	Hogwood 6 in. dia. bears S 72 E. 3 links due by 1 a,
	Sugar. 6 " " " N 70 W. 12 " "
	Willy Oak land;

West	On the South Boundary of sec. 34 T. N. 7. R. 4 W.
10.00	To a Spring, Course S.
25.00	" " do. " " S.
30.00	" " do. " " S.
40.00	Set a 1/4 sec. post from which a
	Beck 30 in. dia. bears S 75 W. 14 links due by 1 a,
	Wick 9 " " " N 89 E. 28 " "



East Boundary

A 35

North	On the East Boundary of sec. 36 T. N. 7. N. R. 4. W.
11.50	To a Brook. 15 units wide, Comes N.
40.00	Set a 74 sec. post from which a W. Oak. 18 in dia? bears S 70 E. 7 units dist; 1 a, L. 20 " " " S 70 W. 16 " "
51.00	To a Brook. 25 units wide, Comes N.
61.50	" " W. Oak. 20 in dia? It stands on the line.
80.00	Set a post for the cor. of sec. 25 & 36 from which a W. Oak. 12 in dia? bears S 23 E. 41 units dist; 1 a, L. 16 " " " N 67 W. 51 " " Heilly spr. Oak land on the N. 1/2 mile; Heilly, spr. shiny land; Limbo Oak. on the 2 <sup>nd</sup> 1/2.
North	On the East Boundary of sec. 25 T. N. 7. N. R. N. 4. W.
26.00	To a Spring: Comes N.
29.50	To a W. Oak. 20 in. dia? It stands on the line.
40.00	Set a 74 sec. post from which a W. Oak. 16 in. dia? bears N 23 E. 15 units dist; 1 a, W. Oak. 18 " " " S 30 E. 45 " "
80.00	Set a post for the cor. of sec. 24 & 25 from which a Heilly 12 in dia? bears N 57 E. 4 units dist; 1 a, Poplar 36 " " " S 10 E. 18 " " For hilly white Oak land.
North	On the East Boundary of sec. 24 T. N. 7. N. R. 4. W.
15.00	To a Brook. 3 units wide, Comes N. N.
40.00	Set a 74 sec. post from which a W. Oak. 16 in dia? bears S 57 W. 24 units dist; 1 a, Buck. 10 " " " N 21 E. 37 " "
47.00	To a Brook. 15 units wide, Comes N.
80.00	Set a post for the cor. of sec. 13 & 24 from which a Log woods 5 in dia? bears N 18 W. 5 units dist; 1 a,



V. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind.

Log made 4 in diam bears S45 E. 8 links dish;  
 Sands flat; Timber Gum. Oak. & Poplar.

North	On the East Boundary of sec. 13. T. N <sup>o</sup> 7. N.R. 4 W.
10.00	Loat Brook. 3 links wide, Course W.
30.00	" " " 3 " " " "
40.00	Set a 1/4 sec. post from which a W. Oak. 30 in diam. bears N50 E. 22 links dish; 1 a, " " 16 " " " S47 N. 30 " "
50.00	Set a post for the cor. of sec. 12 & 13 from which a Y.B. Oak. 18 in diam. bears N15 W. 16 links dish; 1 a, " " 16 " " " S17 E. 48 " "
	Hilly Oak. Sands,

North	On the East Boundary of sec. 12. T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 4 W.
30.00	Loat Brook. 50 links wide, Course W.
40.00	Set a 1/4 sec. post from which a Buck 16 in diam. bears S5 W. 33 links dish; 1 a, " " 15 " " " N38 W. 37 " "
42.00	Loat Brook. 3 links wide, Course S.W.
50.00	Set a post for the cor. of sec. 1 & 12 from which a Sugar. 12 in. diam. bears N81 E. 24 links dish; 1 a, W. Oak. 18 " " " N70 W. 26 " "
	Sands hilly; Timber Oak & Buck.

North	On the East Boundary of sec. 1. T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 4 W.
8.00	Loat Brook. 3 links wide, Course W.
12.00	" " Poplar. 24 in. diam. stands in the river
40.00	Set a 1/4 sec. post from which a Sugar. 16 in. diam. bears S22 E. 10 links dish; 1 a Sugar. 15 in. diam. bears N4 W. 18 links dish;
55.00	Loat Brook. 3 links wide, Course W.
60.00	" " " 8 " " " " SW
78.50	Set 525 links East of the Trip? post & moved it for.

427

T. N. 7. N. R. N. 4 W. 2nd Mer. Ind.

the cor. of Towns 7 & 8 N. R. 3 & 4 W. from which a  
 Beech 24 in dia. bears S 67 N. 15 links due; 1 a,  
 Ash 24 " " " S 78 E. 32 " "  
 Sand oak hills; Timber Sugar, Beech & Poplar.

### North Boundary

A 44

West On the South Boundary of sec. 36. T. N. 8. N. R. 4 W.  
 40.00 Set a 1/4 sec. post from which a  
 Sugar 16 in dia. bears S 60 W. 5 links due; 1 a,  
 Beech 16 " " " N 85 E. 28 " "  
 50.00 To a Brook 3 links midy, Cornus N.  
 80.00 Set a post for the cor. of sec. 35 & 36. from which a  
 Beech 24 in dia. bears S 52 W. 13 links due; 1 a,  
 Do. 6 " " " N 69 E. 28 " "  
 Rich Sugar tree lands;

West On the South Boundary of sec. 35. T. N. 8. N. R. 4 W.  
 40.00 Set a 1/4 sec. post from which a  
 Beech 14 in dia. bears S 20 E. 13 links due; 1 a,  
 41.00 To a Brook 3 links midy, Cornus N. W.  
 65.00 " " Do 3 " " " N.  
 80.00 Set a post for the cor. of sec. 34 & 35 from which a  
 Walnut 18 in dia. bears N 50 E. 18 links due; 1 a,  
 Beech 12 " " " S 71 W. 28 " "

West On the South Boundary of sec. 34. T. N. 8. N. R. 4 W.  
 40.00 Set a 1/4 sec. post from which a  
 Beech 10 in dia. bears N 25 E. 5 links due; 1 a,  
 Do. 6 " " " S 64 W. 8 " "  
 66.00 To a creek 125 links midy, Cornus S.  
 80.00 Set a post for the cor. of sec. 33 & 34 from which a  
 Beech 12 in dia. bears N 80 E. 18 links due; 1 a,  
 Sugar 16 " " " N 82 W. 33 " "

Caution

T. N. J. N.R. N. 4 W. 2nd Mer. Sud.

Landrick hills; Timber. Buck, Sugar, &c.

West	On the South Boundary of sw. 33. T. N. 8. N.R. 4 W.
35.00	Loat Brook 4 miles wide, Corner S.
40.00	Set a 7/4 su post from which a Sugar. 16 in diam. bears N 60 W. 15 miles due; r a Buck. 8 " " " S 45 E. 34 " "
50.00	Loat Brook. 10 miles wide, Corner S. E.
65.00	" " do. 4 " " " N. E.
80.00	Set a post for the cor. of sw. 32. & 33 from which a W. Oak. 36 in diam. bears N 58 W. 7 miles due; r a Buck. 12 " " " N 85 E. 30 " " Rich land; timber Sugar, Buck, & Oak.

West	On the South Boundary of sw. 32. T. N. 8. N.R. 4 W.
25.00	Loat Brook. 5 miles wide, Corner S. W.
40.00	Set a 7/4 su post from which a Elm 16 in diam. bears S 21 E. 39 miles due; r a W. Oak 14 " " " S 37 W. 28 " "
48.00	Loat Brook. 5 miles wide, Corner S. W.
60.00	" " do. 5 " " " S. W.
80.00	Set a post for the cor. of sw. 31 & 32 from which a Yum. 24 in diam. bears East 21 miles due; r a Buck. 8 " " " S 80 W. 23 " " Rich level land; Timber sugar as last mile,

West	On the South Boundary of sw. 31. T. N. 8. N.R. 4 W.
40.00	Set a 7/4 su post from which a Hogwood 6 in diam. bears N 43 W. 7 miles due; r a Buck. 30 " " " S 58 E. 24 " "
60.00	Loat Brook. 6 miles wide. Corner S. W.
74.00	Strike the timber post for the cor. of T. 7 & 8 N.R. 4 & 5 West from which a



429

T. N. 7. N. R. N. 4. W. 2nd Mer. Ind. a

Sugar. 16 in diam. trees S 21° N. 17 miles due by 1 a,  
 Buck. 18 " " " North 22 " "  
 Sande soil and timber same as last mile.  
 April 17. 1811.

### West Boundary

North On the East Boundary of co. 36. T. N. 7. N. R. 5. W.  
 Apr. 16. 1811.

25.00 To a Brook 75 miles wide, Course S. W.  
 40.00 To a N. Oak 36 in. diam. which stands for cor to 74 sec.  
 80.00 Set a post for the cor. of sec. 25, & 26 from which  
 Hick 12 in diam. trees. S 68° E. 5 miles due by, 1 a,  
 N. Oak. 17 " " " N 20° E. 33 " "  
 Low bottom land;

North On the East Boundary of co. 25 T. N. 7. N. R. 5. W

19.00 To a Brook. 3 miles wide, Course N.  
 34.00 " " Co. 3 " " " "  
 40.00 Set a 74 sec. post from which  
 Buck. 16 in. diam. trees S 63° N. 14 miles due by, 1 a,  
 Log mode 6 a " " N 10° E. 37 " "  
 46.00 To a Brook. 5 miles wide, Course N.  
 66.00 " " Co. 15 " " " "  
 80.00 Set a post for the cor. of sec. 24 & 25 from which an  
 Elm 10 in diam. trees N 21° E. 12 miles due by, 1 a,  
 Maple 6 a " " S 5° E. 14 " "  
 Sande & timber same as last mile.

North On the East Boundary of co. 24 T. N. 7. N. R. N. 5. W.

40.00 Set a 74 sec. post from which  
 Sugar. 10 in diam. trees S 43° E. 14 miles due by, 1 a,  
 Buck 30 a " " N 49° W. 22 " "  
 47.00 To a Brook 100 miles wide, Course S. W.



## T. N. 7. N. R. N. 4. W. 2nd Mer. Sud.

80.00 Set a post for the cor. of Sec. 13 & 24 from which  
Sugar. 8 in dia. bears S46 N. 8 miles each; 1 a  
Lo. 16 " " " N21 E. 28 " "  
Sands level and rich; Timber Sugar, Buck, Poplar

North On the East Boundary of sec. 13 T. N. 7. N. R. N. 5 W.

5.00 To a Brook. 3 miles wide, Course E.

12.00 " " 160 " " " " E.

35.00 " " 160 " " " " E.

40.00 Set a 1/4 Sec. post from which  
Maple 9 in dia. bears West 3 miles each; 1 a  
W Oak. 16 " " " N24 E. 24 " "

80.00 Set a post for the cor. of sec. 12 & 13. from which  
Hickory 12 in dia. bears N54 W. 14 miles each; 1 a  
Buck. 16 " " " S50 E. 49 " "  
Sands hilly; Timber Buck Sugar & Poplar.

North On the East Boundary of sec. 12 T. N. 7. N. R. N. 5 W.

20.00 To a Brook. 3 miles wide, Course E.

40.00 Set a 1/4 Sec. post from which  
Hickory 16 in dia. bears S5 E. 24 miles each; 1 a  
Gum. 16 " " " N63 W. 18 " "

80.00 Set a post for the cor. of sec. 1 & 12 from which  
Hickory 18 in dia. bears S10 W. 16 miles each; 1 a  
Gum. 24 " " " N64 E. 25 " "

North On the East Boundary of sec. 1 T. N. 7. N. R. N. 5 W.

12.50 To a W. Oak. 30 in dia. stands in the line

39.50 To a Brook. 5 miles wide, Course W.

40.00 Set a 1/4 Sec. post from which  
Log woods 5 in dia. bears S60 W. 18 miles each; 1 a  
Buck. 16 " " " N24 E. 8 " "

57.00 Crossed a fresh Blazing; Running about N65 W.

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 47. 2<sup>nd</sup> Mer. Ind.

8000 Set a temporary post for the cor. of T. 718 N.R. N<sup>o</sup> 485 N.  
Good Rich Oak land.

Subdivisions

North Between Sec 35 & 36 T. N<sup>o</sup> 7. N.R. 47.

7.00 To a Brook 20 yds. wide, Corner N. W.

19.50 " " " 20 " " " N. W.

39.00 " " " 20 " " " W.

40.00 Set a 1/4 sec. post from which a

Log run 10 in. dist. bears N 31 E. 5 the dist. 1/4 sec.

Run 108 " " " S 87 W. 4 " "

80.00 Set a post for the cor. of sec. 25, 26, 35 & 36. From which  
a N. Oak 12 in. dist. bears N 32 E. 16 links dist. 1/4 sec.  
Heck 16 " " " S 36 E. 15 " "  
Sands hilly and Bushy Timber Oak & Hickory

East On Random line between Sec 25 & 36 T. N<sup>o</sup> 7. N.R. 47

40.00 Set a temporary 1/4 sec. post

59.00 To a Brook 12 yds. wide, Corner E.

80.00 In the cut the N 13 line or East Boundary 20 yds  
North of the post cor. of sec. 25 & 36.  
Sands same as last mile.

West On the main line between Sec 25 & 36 T. N<sup>o</sup> 7. N.R. 47

40.00 Set the temporary post at an old creek in the town line for 1/4  
sec. cor. from which a

N. Oak 15 in. dist. bears N 84 W. 29 yds. dist. 1/4 sec.

Do. 20 " " " N 66 W. 49 " "

80.00 To the cor. of sec. 25, 26, 35 & 36.

North Between Sec 25 & 26 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 47

40.00 Set a 1/4 sec. post from which a

Log run 6 in. dist. bears N 89 W. 16 yds. dist. 1/4 sec.

T. No 7 N.R. No 47. 2<sup>nd</sup> Mar Ind

80.00 Sugar. 8 in dia: trees N28E. 23 links dist; Get apart for the cor. of sec. 23, 24, 25 & 26 from which a Beech. 8 in dia: trees N6E. 21 links dist; & a Do. 7 " " " S63E. 30 " " " Sand & some ash last mile.

East On R.R. line between Sec. 24 & 25. T. No 7 N.R. 47.  
22.00 To a Brook 12 Mts wide, comes E. N.  
25.00 To where we crossed the above stream 5 times  
40.00 Set a temp. 1/4 sec post  
80.00 Enter at the East Boundary 30 links N. of the post cor. of sec. 24 & 25. Sand & some ash last mile.

West Between Sec. 24 & 25 On the same line T. No 7 N.R. 47  
40.00 Set the temp. 1/4 post at the av. dist on the same line for the cor. of 1/4 sec. from which a Poplar. 8 in dia: trees S64E. 8 links dist; & a Querc. 10 " " " S66N. 9 " " " 80.00 To the cor. of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24 T. No 7 N.R. 47  
40.00 Set a 1/4 sec post from which a Maple 15 in dia: trees. S23E. 23 links dist; & a Ash. 5 " " " N32E. 14 " " " 80.00 Set apart for the cor. of sec. 13, 14, 23 & 24 from which a Oak. 18 in. dia: trees S70E. 22 links dist; & a Do. 18 " " " S87N. 33 " " " Sand & some thin Limb Oak & Hickory

East On R.R. line between Sec. 13 & 24. T. No 7 N.R. 47  
40.00 Set a temp. 1/4 sec post  
80.10 Enter at the East Boundary 10 links South of the post cor. of sec. 13 & 24.

433

D. N. F. N. R. N. 47. 2nd Mrs. Sed.

West Cut the true line between Sec. 13 & 24 T. N. F. N. R. 47  
 40.00 Set the temporary post at the aver. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 Cherry 15 in. dia. bears S 25 E. 22 links dist; to  
 Birch 15 " " " N 41 E. 28 " "  
 80.12 To the cor. of sec. 13. 14. 23. & 24.

North Between Sec. 13 & 14 T. N. F. N. R. N. 47  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Hickory 9 in. dia. bears S 46 N. 16 links dist; to  
 Do 10 " " " " N 66 E. 16 " "  
 80.00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which a  
 Logwood 5 in. dia. bears N 51 E. 23 links dist; to  
 Do. 4 " " " " S 10 N. 7 " "  
 Same the same as last mile.

East Cut Random line between Sec. 12 & 13 T. N. F. N. R. 47  
 40.00 Set a temporary  $\frac{1}{4}$  sec. post  
 45.00 To a point 8 links wider Corner N. E.  
 80.25 Intersect the N & S line or East Boundary 20 links  
 South of av. cor. fr. 12 & 13.  
 Same as last & similar same.

West Cut the true line between Sec. 12 & 13 T. N. F. N. R. N. 47  
 40.12 Set the temporary post at the aver. dist. on the true line for  
 the cor. of  $\frac{1}{4}$  sec. from which a  
 Logwood 3 in. dia. bears S 30 N. 7 links dist; to  
 W. Oak. 20 " " " " N 71 E. 14 " "  
 80.25 To the cor. of sec. 11. 12. 13. & 14

North Between Sec. 11 & 12 T. N. F. N. R. N. 47  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 W. Oak. 20 in. dia. bears S 40 E. 11 links dist; to



*T. N. F. N. R. N. 47. 2nd Mer. Ind.*

	Height 5 in. dist. from N 63 E. 10 miles west; 12
45.00	Trapping; Conus N.
54.00	Top Beech. 18 in. dist. Stands in the river.
80.00	Set apart for the cor. of sec. 12, 11 & 12 from which a Lug. 15 in. dist. from S 67 N. 7 miles west; 12 L. 15 " " " " S 89 E. 17 " " " Lands same as last mile.
East	Cap Karamum river between Sec. 1 & 12 T. N. F. N. R. 47.
40.00	Set a trap for 1/4 sec. post
80.00	Enter at the E. corner of 73 miles S. of the post cor. of sec. 11 & 12 Lands same as last mile.
West	Between Sec. 1 & 12 T. N. F. N. R. 47. Low river.
40.00	Set the trap for post at the corner west in the river for 1/4 sec. cor. from which a Beech. 18 in. dist. from N 64 N. 10 miles west; 12 L. 12 " " " " S 63 E. 23 " " " 80.00 To the cor. of sec. 1, 2, 11 & 12
North	Between Sec. 1 & 12 T. N. F. N. R. 47.
36.50	To a Poplar. 20 in. dist. Stands in the river.
40.00	Set a 1/4 sec. post from which a Beech. 12 in. dist. from N 30 E. 7 miles west; 12 L. 15 " " " " S 12 E. 17 " " " 81.13 Enter at the N. corner of 64 miles East of the post cor. of sec. 35 & 36. T. N. F. N. R. 47. & set a post for the cor. of sec. 1 & 2 from which a Beech. 5 in. dist. from N 78 N. 33 miles west; 12 L. 5 " " " " N 55 E. 20 " " " Good farming land.

435

T. N. of N. R. N. 47. 2<sup>nd</sup> Mer. Ind.

North	Between Sec. 34 & 35 T. N. of N. R. N. 47
40.00	Set a 1/4 sec. post from which a Dogwood 3 in diam. bears S 24 N. - 100 m; 1 in W Oak 18 " " " S 87 N. 22 " "
80.00	Set a post for the cor. of sec. 26, 27, 34 & 35 from which a Beech 10 in diam. bears S 40 E. 10 m; 1 in L. 12 " " " N 67 N. 5 " " Sandy soil & timber same as last mile.
East	On Random line between Sec. 26 & 35 T. N. R. 47
40.00	Set temp. 1/4 sec. post
80.10	Intersect the East Boundary 20 m North of the cor. to Sec. 25, 26, 35 & 36. Sandy rolling; thin soil; Timber same
West	On the true line between Sec. 26 & 35 T. N. R. 47
40.05	Set the temp. post at the aver. dist. on the true line for 1/4 sec. cor. from which a W. Oak 12 in diam. bears S 4 E. 13 m; 1 in Hick 12 " " " N 14 W 14 " "
80.10	To the cor. of Sec. 26, 27, 34 & 35
North	Between Sec. 26 & 27 T. N. of N. R. 47
32.00	To a spring. Corner S. E.
40.00	Set a 1/4 sec. post from which a Beech 4 in diam. N 57 N. 23 m; 1 in L. 3 " " S 44 E. 9 " "
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which a W. Oak 20 in diam. bears S 23 E. 4 m; 1 in Dogwood 6 " " " S 89 E. 18 " " Sandy hilly, thin soil; Timber same as last mile
East	On Random line between Sec. 23 & 26 T. N. R. 47

T. N. 7. N. R. N. 471 2<sup>nd</sup> Mer. Sud. 9

40.00	Set a temp. $\frac{1}{4}$ sec. post
80.26	Intersect the N. 45 line 30 miles N. of the first cor. of line 23, 24, 25 & 26. Lands same as last mile.
West	On the true line between Sec. 23, & 26 T. 7. N. R. 471
40.13	Set the temp. $\frac{1}{4}$ sec. post for the true line at the average distance from which a Hickory 10 in. diam. bears N 85 E. 8 miles dist; & a Poplar 9 " " " S 20 W. 22 " "
80.26	To the cor. of Sec. 22, 23, 26 & 27
North	Between Sec. 22, & 23 T. N. 7. N. R. 471
40.00	Set a $\frac{1}{4}$ sec. post from which a W. Oak 18 in. diam. bears S 51 W. 11 miles dist; & a Hickory 11 " " " S 56 E. 21 "
80.00	Set a post for the cor. of Sec. 14, 15, 22 & 23 from which a W. Oak 20 in. diam. bears S 76 E. 32 miles dist; & a Log 20 " " " S 82 W. 19 " " Lands sit under timber same as last mile.
East	On Random line between Sec. 14 & 23 T. 7. N. R. 471
40.00	Set a temp. $\frac{1}{4}$ sec. post
80.00	Intersect the N. 45 line 15 miles S. of the cor. to Sec. 13, 14, 23 & 24. Lands same as last mile.
West	On the true line between Sec. 14 & 23 T. N. 7. N. R. 471
40.00	Set the temp. $\frac{1}{4}$ sec. post at aver. dist. on the true line from which a Hickory 5 in. diam. bears S 48 E. 13 miles dist; & a Hogwood 3 " " " N 57 W. 22 " "
80.00	To the cor. of Sec. 14, 15, 22 & 23.

437

T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 4 N<sup>o</sup> 2<sup>nd</sup> Mer. Sud<sup>e</sup>

North Return Sud. 14 & 15 T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 4 N<sup>o</sup>  
 40.00 Set a  $\frac{1}{4}$  sec. post from which  
 Hick 10 in. diam. trees N 36 E. 9 miles dist; 1 a,  
 Ho. 6 " " " S 64 W 15 " "  
 80.00 Set a post for the cor. of sw. 10. 11. 14. & 15 from which a  
 B. Oak 40 in. diam. trees N 86 E. 18 miles dist; 1 a,  
 Log mode 5 " " " S 12 E. 24 " "  
 Land same as last mile.

East On Random line between Sec. 11 & 14 T. N<sup>o</sup> 7 N.R. 4 N<sup>o</sup>.  
 40.00 Set a temporary  $\frac{1}{4}$  sec. post  
 48.00 To a Brook 10 m. wide, Course W.  
 80.00 Enter at the N. & S. line 9 miles South of the post cor. of  
 Sec. 11. 12. 13. & 14 Land same as last mile.

West On the true line between Sec. 11 & 14 T. N<sup>o</sup> 7 N.R. 4 N<sup>o</sup>.  
 40.00 Set the temporary post at the above dist. on the true line for  
 the cor. of  $\frac{1}{4}$  sec. from which a  
 Poplar 7 in. diam. trees N 28 W. 4 miles dist; 1 a,  
 Ho. 7 " " " S 1 E. 17 " "  
 80.00 To the cor. of sec. 10. 11. 14. & 15

North Return Sec. 10 & 11 T. N<sup>o</sup> 7 N.R. 4 N<sup>o</sup>.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Engw. 8 in. diam. trees, S 83 E. 12 miles dist; 1 a,  
 Beech 15 " " " N 80 W 31 " "  
 60.00 To a Brook 35 miles wide, Course N. W.  
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which a  
 Beech 10 in. diam. trees S 1 E. 31 miles dist; 1 a,  
 Log 14 " " " N 78 W. 14 " "  
 Land same as last mile.

East On Random line between Sec. 2 & 11 T. N<sup>o</sup> 7 N.R. 4 N<sup>o</sup>



T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 N. 2<sup>nd</sup> Mer. Sud.40.00 Set a temp<sup>t</sup> 1/4 sec post49.23 Intersect the N 5 line 47 miles S of the cr. of sec.  
12.11. & 12. Land rolling; rich soil; timber  
Beck. Oak & Poplar.West On the line between Sec. 2 & 11 T. N<sup>o</sup> 7. N.R. 4 N.39.61 Set the temp<sup>t</sup> post at the av. dist on the line for the  
cr. of 1/4 sec. from which are  
Ash. 30 in. dia. beams N 85 W. 13 miles dist; 1 a  
Sugar. 10 a " " N 84 E. 19 " "

49.22 To the cr. of sec. 2, 3, 10 &amp; 11

North Between Sec. 2 & 3. T. N<sup>o</sup> 7. N.R. 4 N.40.00 Set a 1/4 sec post from which are  
Sugar. 5 in. dia. beams N 89 E. 4 miles dist; 1 a  
Hickory 9 a " " S 47 W. 28 " "81.17 To a Beck - on the N. Boundary, which stands for the  
cr. of sec. 2 & 3; 85 miles East of the post cr. of sec. 34 &  
35. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 4 N.  
Land same as last mile.North Between Sec. 33 & 34 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 N.

19.50 Iron Beck. 10 miles wide, corner S. W.

31.50 " " 20. 10 a " " S. E.

40.00 Set a 1/4 sec. post from which are  
Beck. 8 in. dia. beams S 34 E. 14 miles dist; 1 a  
Co. 12 a " " N 85 W. 11 a "

70.00 To spring. Corner S. E.

80.00 Set a post for the cr. of sec. 27, 28, 33 & 34 from which are  
Beck. 12 in. dia. beams. N 2 E. 26 miles dist; 1 a  
Co. 8 a " " S 86 W. 44 a "

Land dist &amp; timber same

Fort line between Sec. 27 &amp; 34 (Random &amp; true) T 80.0° 27 1/2 28 in end of township

T. N. 7. N. R. N. 4 W. 2nd Mer. Sud. 439

East On a Random line between Sec. 22 & 27 T. N. 7. N. R. 4 W.  
 40.00 Set a trap 1/4 sec. from  
 65.00 To a Brook 10 inch wide, dense S.W.  
 80.30 Enter cut the N & S line at the post cor. of Sec. 22, 23, 26 & 27  
 Same line as last mile.

West On the true line between Sec. 22 & 27 T. N. 7. N. R. 4 W.  
 40.15 Set the trap 1/4 post at the av. dish in the true line for the  
 cor. of 1/4 sec. from which  
 Log wood. 4 in diam. bears N 39 E. 15 inch dish; 1 a  
 W. Oak. 16 " " " S 39 W. 7 " "  
 80.30 In the cor. of Sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22 T. N. 7. N. R. N. 4 W.  
 40.00 Set a 1/4 sec. post from which  
 W. Oak. 15 in. diam. bears N 21 W. 7 inch dish; 1 a  
 Birch 8 " " " N 80 E. 11 " "  
 80.00 Set a post for the cor. of Sec. 15, 16, 21 & 22 from which  
 Ash. 3 in. diam. bears N 11 W. 8 inch dish; 1 a  
 Hickory 15 " " " S 28 E. 22 " "  
 Same soil. thin soil; timber same.

East On a Random line between Sec. 15 & 22 T. N. 7. N. R. 4 W.  
 40.00 Set a trap 1/4 sec. from  
 79.75 Enter cut the N & S line 20 inches N of the post cor. of  
 Sec. 14, 15, 22 & 23. Same line as last mile.

West On the true line between Sec. 15 & 22 T. N. 7. N. R. 4 W.  
 39.87 1/2 Set the trap 1/4 post at the av. dish in the true line for the  
 cor. of 1/4 sec. from which  
 W. Oak. 20 in diam. bears S 28 W. 32 inch dish; 1 a  
 Log wood 4 " " " N 37 W. 18 " "  
 79.75 In the cor. of Sec. 15, 16, 21 & 22

T. N. 7. N. R. N. 4 W. 2<sup>nd</sup> Mer. (Ind. 2)

North Return Sec. 15 & 16 T. N. 7. N. R. N. 4 W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Buck. 20 in diam. beam. S 40 W. 23 1/2 miles dist; 1 a  
 Ho. 20 " " " S 23 E. 47 " "  
 80.00 Set a post for the cor. of sec. 9, 10, 15 & 16 from which a  
 Buck. 18 in diam. beam. N 57 W. 7 1/2 miles dist; 1 a  
 Maple 10 " " " S 12 E. 31 " "  
 Land same as last mile.

East On Random line between Sec. 10 & 15. T. N. 7. N. R. 4 W.  
 40.00 Set a trap  $\frac{1}{4}$  sec. post  
 51.50 To a Spring, Corner N.  
 79.80 Into cut the N. & S. line 30 miles South of the post cor. of Sec.  
 10, 11, 14 & 15 Land same as last mile.

West On the true line between Sec. 10 & 15. T. N. 7. N. R. 4 W.  
 39.90 Set the trap  $\frac{1}{4}$  post at the aver. dist on the true line for the  
 cor. of  $\frac{1}{4}$  sec. from which a  
 Healy 12 in diam. beam. S 42 W. 20 1/2 miles dist & a  
 Gum. 12 " " " N 26 W. 31 " "  
 79.80 To the post cor of sec. 9, 10, 15 & 16.

North Return Sec. 9 & 10 T. N. 7. N. R. 4 W.  
 40.00 Set a  $\frac{1}{4}$  sec post from which a  
 Sugar. 10 in diam. beam. S 25 E. 30 1/2 miles dist; 1 a  
 Hickory 10 " " " N 22 E. 17 " "  
 52.00 To a Brook 40 miles wide, Corner N.  
 80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a  
 Buck 35 in diam. beam. N 38 E. 27 1/2 miles dist; 1 a  
 Ho. 9 " " " S 87 E. 28 " "  
 Land well gr.; Timber Buck, Oak, & Poplar.

East On Random line between Sec. 3 & 10 T. N. 7. N. R. 4 W.

T. N. 7. N. R. N. 4 W. 2nd Mer. Sud?

441

32.00 To a Brook. 40 links wide, Course S. W.  
 39.00 " " L. 40 " " " N. W.  
 40.00 Set a trap for 1/4 sec. path  
 80.00 Intersect the N. 6 S. line at the post cor. of station 2, 3, 10 & 11. Goode farming lands.

West On the true line between Sec. 3 & 10. T. N. 7. N. R. N. 4 W.  
 40.00 Set the trap just at the corner dist. on the true line for the cor. of 1/4 sec. from which  
 Beet. 5 in dist. from S. 35 E. 19 links dist; & a  
 W. Walnut. 8 " " " N. 32 W. 18 " "  
 80.00 To the post cor. of Sec. 3. 4. 9 & 10.

North Between Sec. 3 & 4 T. N. 7. N. R. N. 4 W.  
 4.00 To a Spring; Course N.  
 40.00 Set a 1/4 sec. post from which  
 Beet. 4 in dist. from S. 31 E. 8 links dist; & a  
 L. 10 " " " N. 68 W. 13 " "  
 65.00 To a Brook. 40 links wide, Course N. W.  
 81.07 Intersect the N. 6 S. line 222 links East of the post cor. of Sec. 33 & 34 T. N. 8 N. R. N. 4 W. could set a post for the cor. of Sec. 3 & 4 from which  
 W. Oak. 15 in dist. from S. 27 N. 22 links dist; & a  
 Ironwood 7 " " " N. 77 W. 5 " "  
 Grade same as last mile.

North Between Sec. 32 & 33 T. N. 7. N. R. N. 4 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Beet. 10 in dist. from N. 18 E. 22 links dist; & a  
 L. 6 " " " N. 18 W. 4 " "  
 46.00 To a Brook. 12 links wide, Course N.  
 80.00 Set a post for the cor. of Sec. 28, 29, 32 & 33 from which  
 Sugar Oak dist. from N. 74 E. 22 links dist; & a



T. N. 7. N. R. N. 4 W. 2<sup>nd</sup> Mer. (Sud. 2)

Amwoode 3 in. dia. beams N 66 W. 14 links dia;   
 Sunde same as last mile.

East On Kandam line between Sur. 28 & 33 T. N. 7. N. R. 4 W.  
 15.00 To Brook. 10 Course S.  
 21.00 " Do 10 " "  
 27.00 " " " " "  
 40.00 Set a trip 1/4 Sec. post.  
 80.12 Intersect the N 8 S line 25 links N. of the post. cor. of Sur.  
 27, 28, 33 & 34 Sunde same as last mile.

West Return Sur. 28 & 33. Iron line. T. N. 7. N. R. N. 4 W.  
 40.06 Set the trip post at the corner dist on the true line for the  
 cor. of 1/4 Sec. from which  
 Beck. 20 in dia. beams N 56 E. 24 links dia; & S  
 Do. 12 " " " S 37 W. 8 " "  
 80.12 To the cor. of Sur. 28, 29, 32 & 33.

North Return Sur. 28 & 29 T. N. 7. N. R. N. 4 W.  
 40.00 Set a 1/4 Sec. post from which  
 N. Oak 15 in dia. beams N 11 W. 7 links dia; & S  
 Cypress 15 " " " S 57 W. 15 " "  
 65.00 To Spring; Course N. W.  
 76.50 " " " " S. W.  
 80.00 Set a post for the cor. of Sur. 20, 21, 28 & 29 from which  
 Beck. 10 in dia. beams N 77 E 8 links dia; & S  
 Do. 10 " " " N 67 W. 23 " "  
 Sunde Shilly; Timber Beck. Oak, & Heiter

East On Kandam line between Sur. 21 & 28. T. N. 7. N. R. 4 W.  
 25.00 To Spring; Course N.  
 34.00 To Brook. 35 links. Wido, Course S. W.  
 40.00 Set a trip 1/4 Sec. post

47.00 To a Brook 15 m. wide, Course S.W.  
80.20 Enter at the N.E. line 20 m. South of the first cor. of  
Sec. 21, 22, 27 & 28.  
Land same as last mile.

West On the true line between Sec. 21 & 28 of N. 7. N.R. 4 W.  
40.10 Set the temp. post at the cor. dish in the true line for the cor.  
of 1/4 Sec. from which  
Sugar 8 m. dist. bears N 22 E. 9 m. dist; 10  
W. Oak 15 " " S 30 W. 12 " "  
80.20 To the cor. of Sec. 20, 21, 28 & 29.

North Between Sec. 20 & 21. T. N. 7. N.R. 4 W.  
25.00 To a Brook. 15 m. wide, Course W.  
40.00 Set a 1/4 Sec. post from which  
Logwood 5 m. dist. bears N 30 W. 17 m. dist; 12  
Ho. 4 " " S 23 E. 7 " "  
80.00 Set a post for the cor. of Sec. 16, 17, 20 & 21 from which  
W. Oak 18 m. dist. bears N 81 W. 7 m. dist; 12  
Logwood 3 " " N 85 E. 24 " "  
Land same as last mile.

East On a Random line between Sec. 16 & 21 T. N. 7. N.R. 4 W.  
40.00 Set a temp. 1/4 Sec. post  
80.00 Enter at the N.E. line 30 m. South of the first cor. of  
Sec. 15, 16, 21 & 22 Land same as last mile.

West On the true line between Sec. 16 & 21 T. N. 7. N.R. 4 W.  
40.00 Set the temp. post at the cor. dish in the true line for the  
cor. of 1/4 Sec. from which  
W. Oak 21 m. dist. bears N 39 W. 10 m. dist; 12  
Hecks 24 " " South 24 " "  
80.00 To the first cor. of Sec. 16, 17, 20 & 21.

*T. N. 7. N. R. N. 4 W. 2<sup>nd</sup> Mer. Sud. a.*

*North* Return Sec. 16 & 17 T. N. 7. N. R. N. 4 W.  
 40.00 Let a 1/4 sec. post from which was  
 Ironwork - in dirt bars N 41 E. 16 miles dist; ran  
 N 71 West. 10 " " " S 85 W. 22 " "  
 42.00 To a Spring; Conus E.  
 43.50 " " " " "  
 47.00 To a Brook 15 miles wide, Conus N. E.  
 68.50 , the same 5 tanks  
 80.00 Let a post for the cor. of sec. 8, 9, 16 & 17 from which  
 Hickory & in dirt bars N 85 W. 37 miles dist; ran  
 Dogwood 3 " " " N 72 E. 17 " "  
 Sand runs at last mile.

*East* On Random line between Sec. 9 & 16 T. N. 7. N. R. 4 W.  
 40.00 Let a transfer 1/4 sec. post  
 81.00 Let out the N 13 line 31 miles North of the post cor. of sec.  
 9, 10, 15 & 16. Sand runs at last mile.

*West* On the true line between Sec. 9 & 16 T. N. 7. N. R. 4 W.  
 40.50 Let the transfer post at the corner dist. on the true line for the  
 cor. of 1/4 sec. from which  
 Gum. 10 in dirt bars N 55 E. 16 miles dist; ran  
 Do. 18 " " " S 80 E. 25 " "  
 81.00 To the post cor. of Sec. 8, 9, 16, & 17.

*North* Return Sec. 8 & 9 T. N. 7. N. R. 4 W.  
 40.00 Let a 1/4 sec. post from which  
 Birch 8 in dirt bars S 67 W. 28 miles dist; ran  
 Sugar. 10 " " " S 32 E. 27 " "  
 40.50 To a Brook 100 miles wide, Conus S. W.  
 80.00 To a Poplar. On dirt which stands for the cor. of Sec.  
 4, 5, 8 & 9 Sand Hickory, Rich soil, Lumber & Buck,  
 Hickory, Oak & Poplar.

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sud?

East	Between Sec. 4 & 9. T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 4 W. Random
24.00	To a spring, Course S.
40.00	Set a trap 74 cu. feet
44.00	To a spring, Course S.
60.00	" " " " "
77.00	To a Brook 75 miles, Course S.
81.00	Intersect the N. & S. line 50 miles South of first cor. off Sec. 3, 4, 9 & 10. Land same as last mile.
West	On the true line between Sec. 4 & 9 T. N <sup>o</sup> 7. N.R. 4 W.
40.50	Set the trap 74 feet at the aver. dist. on the true line for the cor. of 74 feet from which a Sugar. 12 in. diam. bears N 77 E 30 miles dist; & a Co. 12 " " " N 50 E 27 " "
81.00	To the first cor. off Sec. 4, 5, 8 & 9.
North	Between Sec. 31 & 32 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 4 W.
18.00	To a Brook. 18 miles, Course N.
40.00	Set a 74 cu. feet from which a Bech. 18 in. diam. bears S 53 E 46 miles dist; & a Co. 12 " " " N 66 W. 28 " "
57.00	To a spring, Course E.
67.00	" " Brook. 12 miles, Course W.
80.00	Set a post for the cor. of Sec. 29, 30, 31, & 32 from which a 29, 30, 31, & 32 from which a Bech. 20 in. diam. bears S 80 E 30 miles dist; & a Co. 10 " " " N 69 W. 13 " "
	Land is hilly; rich soil Timber Oak & Poplar
East	On a Random line between Sec. 29, & 30 T. N <sup>o</sup> 7. N.R. 4 W.
39.00	To a Brook. 12 miles, Course S. W.
40.00	Set a trap 74 cu. feet
79.75	Intersect the N. & S. line 16 miles South of the cor. of Sec.



*T. N. 7. N. R. N. 4. W. 2nd Mer. Sec. 2.*

28.29.32+33. Land same as last mile.

West Return Sec. 29+32 *T. N. 7. N. R. N. 4. W.* Line line  
39.87 1/2 Set the transfer post at the corner ditch on the true line for  
the cor. of 1/4 sec. from which a  
Line 15 in dia. bears N 15 1/4 W. 10 the ditch; range  
No. 18. " " S 27 E. 25. " "  
79.75 To the cor. of sec. 29.30.31+32

North Return Sec. 4+5 *T. N. 7. N. R. N. 4. W.*  
20.00 To a Spring. — the mid. course W.  
40.00 Set a 1/4 sec. post from which a  
Beech. 13 in. dia. bears S 84 E. 4. hicks ditch; range  
Oak 4 " " " S 11 W. 16. " "  
83.50 Set a post on the ~~North~~ Boundary 205 miles East of the  
post cor. of sec. 32+33 *T. N. 8. N. R. 4. W.* from which a  
Beech. 10 in dia. bears N 75 E 4 miles ditch; range  
Ironwood 4 " " " N 88 W 33 " "  
Land same as last mile  
The above line was omitted, by mistake, in its proper  
place

North Return Sec. 29. + 30 *T. N. 7. N. R. 4. W.*  
23.50 To a W. Oak. 30 in dia. stands in the line.  
40.00 Set a 1/4 sec. post from which a  
Logwood 8 in dia. bears S 27 W. 29 miles ditch; range  
W. Oak. 15 " " " N 22 W. 14 " "  
80.00 Set a post for the cor. of sec. 19.20 29+30 from which a  
Beech 20 in dia. bears S 37 E. 7 miles ditch; range  
No. 20 " " " N 37 W. 27 " "  
Land same as last mile.

East On a Random line between Sec. 20. + 29 *T. N. 7. N. R. 4. W.* (i. e. Comp.

1.50 To a Brook 8 miles wide, Course N. W.  
 25.00 " " Sec. 8 " " " " NW  
 40.00 Set a trap 1/4 Sec. fresh.  
 74.50 To a Brook 8 miles wide, Course N. W.  
 79.44 Intersect the N. & S. line 80 miles E. of the first cor. of Sec.  
 20, 21, 28 & 29  
 Land same as last mile.

West On the true line between Sec. 20 & 29 T. N. 7. N. R. 4 W.  
 39.72 Set the trap 1/4 Sec. at the am. dish on the true line for the  
 cor. of 1/4 Sec. from which a  
 Walnut 10 in diam. bears N 13 E. 22 miles dish; to  
 Poplar 40 " " " N 74 W. 12 " "  
 79.44 To the first cor. of Sec. 19, 20, 29 & 30

North Between Sec. 19 & 20 T. N. 7. N. R. N. 4 W.  
 14.00 To a Brook 25 miles wide, Course E. W.  
 40.00 Set a 1/4 Sec. post from which a  
 Sugar 8 in diam. bears N 39 E. 11 miles dish; to  
 Ash 8 " " " N 69 E. 26 " "  
 80.00 Set a post for the cor. of Sec. 17, 18, 19 & 20 from which a  
 Ash 5 in diam. bears S 4 E. - 1/4 Sec. dish; to  
 Sugar 7 " " " S 56 W. 18 " "  
 Land same as last mile.

East On a Random line between Sec. 17 & 20 T. N. 7. N. R. 4 W.  
 9.00 To a Brook 10 miles wide, Course N. W.  
 40.00 Set a trap 1/4 Sec. fresh  
 79.28 Intersect the N. & S. line 8 miles South of the first cor.  
 of Sec. 16, 17, 20 & 21  
 Land same as last mile.

West On the true line between Sec. 17 & 20 T. N. 7. N. R. 4 W.

*S. N. 7. N. R. N. 4 W 2<sup>nd</sup> Mer. Sud.*

39.64 Set the temp<sup>4</sup> pole post at the corner in the line  
line for the cor. of 14<sup>th</sup> Sec from which a  
Beck 18 in dia<sup>r</sup> bears S 8 E. 7 mks dist; r a  
Log north 5 " " " S 4 W. 19 " "  
79.28 To the post cor of sec. 17. 18. 19 & 20.

North Return Sec. 17. & 18 S. N. 7. N. R. N. 4 W  
16.00 To a Brook 8 mks wide, Corner N.  
22.50 " " Sugar 12 in dia<sup>r</sup> stands in the line.  
40.00 Set a pole post from which a  
Beck 15 in. dia<sup>r</sup> bears S 15 E. 21 mks dist; r a  
Log. 12 " " " N 32 E. 16 " "  
72.00 To a W. Oak 14 in dia<sup>r</sup> stands in the line.  
80.00 Set a post for the cor. of sec. 7. 8. 17 & 18 from which  
Beck 12 in. dia<sup>r</sup> bears S 16 E. 7 mks dist; r a  
Sugar. 12 " " " N 34 W. 18 " "  
Good farming land.

East On a Meridian line between Sec. 8 & 17 S. N. 7. N. R. 4 W  
12.00 To a Brook 12 mks wide, Corner N.  
40.00 Set a temp<sup>4</sup> pole post  
80.40 Enter out the N & S line. at the cor of sec. 8. 9. 16 & 17  
Land now a clear mile.

West On the true line between Sec. 8 & 17 S. N. 7. N. R. 4 W  
40.20 Set the temp<sup>4</sup> post at the corner in the line for the  
cor of 14<sup>th</sup> Sec. from which a  
Beck 10 in dia<sup>r</sup> bears S 79 E. 38 mks dist;  
80.40 To the post cor of sec. 7. 8. 17 & 18.

North Return Sec. 7 & 8 S. N. 7. N. R. N. 4 W  
20.00 To a Brook 75 mks wide, Corner N.  
40.00 Set a pole post from which a

449

T. N. 7. N. R. N. 4. W. 2nd Mer. (Ind. 2)

4 Buck. 15 in. dia. bears N 78 E. 26 links dist; & a  
 Sugar. 6 " " " S 72 W. 11 " "  
 46.00 To at Brook. 8 links wide, Course E.  
 80.00 Set a post for the cor. of Sec. 5, 6, 7 & 8 from which  
 4 Buck. 12 in. dia. bears S 15 E. 24 links dist; & a  
 W. Oak. 15 " " " N 22 W. 28 " "  
 Sand & some at last mile.

East On a Randm line between Sec. 5 & 8 T. N. 7. N. R. 4 W.  
 17.50 To at Brook 8 links wide, Course E.  
 30.00 " " Sec. 8 " " " "  
 40.00 Set a stump 1/4 Sec. post  
 80.80 Enter at the N & S line 60 links North of the post cor.  
 of Sec. 4, 5, 8 & 9  
 Sand & some at last mile.

West On the true line between Sec. 5 & 8 T. N. 7. N. R. 4 W.  
 40.40 Set the truest post at the cor. dist on the true line for  
 the cor. of 1/4 Sec. from which a  
 W. Oak. 20 in. dia. bears N 11 W. 18 links dist; & a  
 Sec. 20 " " " S 31 W. 32 " "  
 80.80 To the post cor. of Sec. 5, 6, 7 & 8.

North Between Sec. 5 & 6 T. N. 7. N. R. N. 4 W.  
 40.00 Set a 1/4 Sec. post from which a  
 Dogwood 4 in. dia. bears N 86 E. 16 links dist; & a  
 Sugar. 15 " " " N 58 W. 18 " "  
 85.30 Enter at the N & B line 150 links East of the post  
 cor. of Sec. 31 & 32 T. N. 7. N. R. N. 4 W. & set a post  
 for the cor. of Sec. 5 & 6 from which a  
 Elm 5 in. dia. bears S 23 E. 20 links dist; & a  
 4 Buck. 24 " " " N 27 E. 31 " "  
 Sand & hilly, thin rich soil; Timber same.



# T. N. of N.R. No 47. 2<sup>nd</sup> Mer. Ind.

West Between Sec. 6 & 7 T. N. of N.R. 47.

13.50 To a Spring; Course S.

41.00 Set a 74 sec. Post from which

Buck 15 in. dia. bears N 81 E. 41 links dish; & a

Gum. 18 " " " S 42 W. 38 "

76.50 Intersect the West Boundary 343 links South of the post cor. of sec. 1 & 12 T. N. of N.R. No 5 W. & set a Post for the cor. of Sec. 6 & 7 from which a Buck 20 in dia. bears N 85 W. 18 links dish; & a  
Nuts 12 " " " N 78 E. 24 " "  
Sund. same as last mile.

West Between Sec. 7 & 18 T. N. of N.R. No 47.

25.00 To a Brook. 100 links wide, Course S.

40.00 Set a 74 sec. Post from which

Buck 12 in. dia. bears S 80 E. 8 links dish; & a

Gum. 10 " " " N 33 E. 15 " "

76.80 Intersect the West Boundary 250 links South of the post cor. of sec. 12 & 13 T. N. of N.R. No 5 W. & set a Post for the cor. of Sec. 7 & 18 from which a  
W. Oak 20 in dia. bears S 50 E. 5 links dish; & a  
Log wood 6 " " " N 54 E. 7 " "  
Sund. same as last mile.

West Between Sec. 18 & 19 T. N. of N.R. No 47

40.00 Set a 74 sec. Post from which

Ash. 4 in dia. bears N 78 E. 8 links dish; & a

Beyh. 7 " " " S 2 W. 20 " "

64.00 To a Brook. 100 links wide, Course S.

77.83 Intersect the West Boundary 205 links South of the post cor. of sec. 13 & 24 T. N. of N.R. No 5 W. & set a Post for the cor. of Sec. 18 & 19 from which an  
Elm 8 in dia. bears N 15 E. 40 links dish; & a

451

T. N. 7. N. R. N. 4. W. 2<sup>nd</sup> Mer. Ind.

W. Oak 30 in. diam. trees S 44 N. 16 miles dist;  
 Lands the same as last mile.

West Return Jul. 19 & 30 T. N. 7. N. R. N. 4. W.  
 25.00 Top Brook 25 miles wide, comes S. W.  
 40.00 Set a 1/4 sec post from which a  
 Birch 10 in. diam. trees S 27 E. 12 miles dist; & a  
 Hickory 10 " " " S 22 N. 18 " "  
 77.50 Enter cut the West Boundary 112 miles South of the  
 fork cor. of sec. 24 & 25. T. N. 7. N. R. N. 5. W. 1 set a  
 post for the cor. of sec. 19 & 30 from which a  
 W. Oak 12 in. diam. trees N 5 W. 7 miles dist; & a  
 Maple 4 " " " S 68 W. 8 " "  
 Lands same as last mile.

West Return Jul. 30 & 31 T. N. 7. N. R. N. 4. W.  
 24.50 Top Brook 10 miles wide, comes S.  
 40.00 Set a 1/4 sec post from which a  
 Birch 10 in. diam. trees East 5 miles dist; & a  
 L. 18 " " " N 14 E. 23 " "  
 78.04 Enter cut the West Boundary 10 miles S of the fork  
 cor. of sec. 25 & 36 T. N. 7. N. R. N. 5. W. under set a  
 post for the cor. of sec. 30 & 31. from which a  
 W. Oak 18 in. diam. trees N 25 E. 23 miles dist; & a  
 Hickory 12 " " " S 20 E. 12 " "  
 Lands soil & timber same as last mile.

Surveyed by  
 Arthur W. Harris L.S.

T. N. 7. N. R. N. 4 W. 2<sup>nd</sup> Mer. Sur.?

I certify that the foregoing transcript of the  
Field notes, of Township N. 7. North of Range  
N. 4 West of the 2<sup>nd</sup> Principal Meridian, in  
Indiana, has been compared with the Original  
notes in this Office and found to be correct.

Surveyor General's Office,  
Cincinnati, Dec. 15. 1840

*E. S. Haines*  
Sur. Genl.

The following lines were omitted in this former plan.

East On a Random line between Sec. 27 & 34 T. 7. N. R. 4 W.

100 To a spring Course S.

4000 Set a temporary 1/4 section

4850 To a Bore 10 links wide, Course S.

6350 " " No. 10 " " " S.E.

8000 Intersect the N.E. line at the first cor. of sec. 26, 27, 34 & 35. Land same

West On the true line between Sec. 27 & 34 T. 7. N. R. 4 W.

4000 Set the temporary 1/4 section at the corner west on the true line from which a  
Bench 12 in. dia. bears S 80 E 22 1/2 links dist; to a Log mode 10 in. dia. bears S 4 E 7 1/2 links

8000 To the flat cor. of sec. 27, 28, 33 & 34

North Between Sec. 27 & 28 T. 7. N. R. 4 W.

4000 Set a 1/4 section from which a P. Oak 18 in. dia. bears

S 31 E 15 links dist; and a Log mode 3 in. dia. S 31 W 13 links dist.

5451 To a Bore 15 links wide, Course S.W.

8000 Set a post for the cor. of sec. 21, 22, 27 & 28 from which a  
Poplar 40 in. dia. bears N 62 E 39 links dist; and a  
Log mode 8 " " S 47 W 35 " "  
Land same as last mile.